

SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name MONT MARTE DIMENSION ACRYLIC PAINTS (BURNT UMBER, RAW UMBER, VANDYKE BROWN, NATURAL GREY, BLACK) (EU)

Synonym(s) DIMENSION ACRYLIC PAINTS

1.2 Uses and uses advised against

Use(s) ARTIST PAINT

1.3 Details of the supplier of the safety data sheet

Supplier name MONT MARTE INTERNATIONAL PTY LTD

Address 27 Pentex Street, Salisbury, QLD, 4107, AUSTRALIA

Telephone (07) 3255 5406

Fax (07) 3255 5409

Email Not supplied.

Website <http://www.montmarte.net.au>

1.4 Emergency telephone number(s)

Emergency 13 11 26

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 (CLP) and its amendments:

2.2 Label elements

In compliance with EC regulation No. 1272/2008 (CLP) and its amendments:

Signal word

None allocated.

Pictograms

None allocated.

Hazard statement(s)

None allocated.

Prevention statement(s)

None allocated.

Response statement(s)

None allocated.

Storage statement(s)

None allocated.

Disposal statement(s)

None allocated.

2.3 Other hazards

No information provided.

3. COMPOSITION/ INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

Ingredient	Identification	Classification		Content
2-AMINO-2-METHYL-1-PROPANOL	CAS: 124-68-5 EC: 204-709-8	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Chronic 3, H412	Xi;R36/38 N;R52/53	<1%
2-METHYL-4-ISOTHIAZOLIN-3-ONE	CAS: 2682-20-4 EC: 220-239-6			<0.1%
POLYACRYLIC ACID	CAS: 9003-01-4			>60%
CARBON BLACK	CAS: 1333-86-4 EC: 215-609-9			<25%
WATER	CAS: 7732-18-5 EC: 231-791-2			<10%
PROPYLENE GLYCOL (PROPANE-1,2-DIOL)	CAS: 57-55-6 EC: 200-338-0			<5%
HYDROXYETHYL CELLULOSE	CAS: 9004-62-0 EC: 618-387-5			<2%
NON HAZARDOUS INGREDIENTS	Not Available			Remainder

4. FIRST AID MEASURES

4.1 Description of first aid measures

Eye	If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.
Inhalation	If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.
Skin	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.
Ingestion	For advice, contact a Poisons Information Centre (PIC) or a doctor (at once). If swallowed, do not induce vomiting.
First aid facilities	No information provided.

4.2 Most important symptoms and effects, both acute and delayed

Adverse effects not expected from this product under normal conditions of use.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases if strongly heated.

5.3 Advice for firefighters

No fire or explosion hazard exists.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in Section 8 of this SDS.

PRODUCT NAME MONT MARTE DIMENSION ACRYLIC PAINTS (BURNT UMBER, RAW UMBER, VANDYKE BROWN, NATURAL GREY, BLACK) (EU)

6.2 Environmental precautions

Prevent product from entering drains and waterways.

6.3 Methods of cleaning up

If spilt, collect and reuse where possible. Alternatively, contain spillage, then collect and place in suitable containers for disposal.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.

7.3 Specific end use(s)

No information provided.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

Ingredient	Reference	TWA		STEL	
		ppm	mg/m ³	ppm	mg/m ³
2-Amino-2-methylpropanol (AMP)	OEL (Germany)	1	4.6	--	--
Carbon Black (lampesot)	OEL (Norway)	--	3.5	--	--
Carbon black	WEL (UK)	--	3.5	--	7
Propan-1,2-diol	OEL (Norway)	25	79	--	--
Propane-1,2-diol (particulates only)	WEL (UK)	--	10	--	--
Propane-1,2-diol (total vapour & particulates)	WEL (UK)	150	474	--	--

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas.

PPE

Eye / Face	Not required under normal conditions of use.
Hands	With prolonged use, wear PVC or rubber gloves.
Body	Not required under normal conditions of use.
Respiratory	Not required under normal conditions of use.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	COLOURED PASTE
Odour	ODOURLESS
Flammability	NON FLAMMABLE
Flash point	NOT RELEVANT
Boiling point	100°C
Melting point	NOT AVAILABLE
Evaporation rate	NOT AVAILABLE

PRODUCT NAME MONT MARTE DIMENSION ACRYLIC PAINTS (BURNT UMBER, RAW UMBER, VANDYKE BROWN, NATURAL GREY, BLACK) (EU)

9.1 Information on basic physical and chemical properties

pH	8.0 to 9.0
Vapour density	NOT AVAILABLE
Specific gravity	1.09 to 1.29
Solubility (water)	SOLUBLE
Vapour pressure	NOT AVAILABLE
Upper explosion limit	NOT RELEVANT
Lower explosion limit	NOT RELEVANT
Partition coefficient	NOT AVAILABLE
Autoignition temperature	NOT AVAILABLE
Decomposition temperature	NOT AVAILABLE
Viscosity	NOT AVAILABLE
Explosive properties	NOT AVAILABLE
Oxidising properties	NOT AVAILABLE
Odour threshold	NOT AVAILABLE

9.2 Other information

% Volatiles	NOT AVAILABLE
-------------	---------------

10. STABILITY AND REACTIVITY

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

10.4 Conditions to avoid

Avoid contact with incompatible substances.

10.5 Incompatible materials

Incompatible with oxidising agents (eg. hypochlorites), acids (eg. nitric acid) and alkalis (eg. sodium hydroxide).

10.6 Hazardous decomposition products

May evolve toxic gases if heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity	No known toxicity data is available for this product. Based on available data, the classification criteria are not met.
Skin	Not classified as a skin irritant. Contact may result in mild irritation.
Eye	Not classified as an eye irritant. Contact may cause discomfort, lacrimation and redness.
Sensitization	This product is not known to be a skin or respiratory sensitiser.
Mutagenicity	No evidence of mutagenic effects.
Carcinogenicity	No evidence of carcinogenic effects.
Reproductive	No evidence of reproductive effects.
STOT – single exposure	Not classified as causing organ effects from single exposure.
STOT – repeated exposure	Not classified as causing organ effects from repeated exposure.
Aspiration	This product does not present an aspiration hazard.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No information provided.

12.2 Persistence and degradability

No information provided.

12.3 Bioaccumulative potential

No information provided.

12.4 Mobility in soil

No information provided.

12.5 Results of PBT and vPvB assessment

No information provided.

12.6 Other adverse effects

No information provided.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposal For small amounts absorb with sand, vermiculite or similar and dispose of to an approved landfill site. Contact the manufacturer for additional information if larger amounts are involved.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT REGULATED FOR TRANSPORT

	LAND TRANSPORT (ADR / RID)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
<u>14.1 UN number</u>	None Allocated	None Allocated	None Allocated
<u>14.2 UN proper shipping name</u>	None Allocated	None Allocated	None Allocated
<u>14.3 Transport hazard classes</u>			
DG class	None Allocated	None Allocated	None Allocated
Subsidiary risk(s)	None Allocated	None Allocated	None Allocated
<u>14.4 Packing group</u>	None Allocated	None Allocated	None Allocated
<u>14.5 Environmental hazards</u>	None Allocated		
<u>14.6 Special precautions for user</u>	No information provided		

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications None allocated.

Risk phrases None allocated

Safety phrases None allocated

PRODUCT NAME MONT MARTE DIMENSION ACRYLIC PAINTS (BURNT UMBER, RAW UMBER, VANDYKE BROWN, NATURAL GREY, BLACK) (EU)

Inventory listing(s) **AUSTRALIA: AICS (Australian Inventory of Chemical Substances)**
All components are listed on AICS, or are exempt.
EUROPE: EINECS (European Inventory of Existing Chemical Substances)
All components are listed on EINECS, or are exempt.

15.2 Chemical safety assessment

No information provided.

16. OTHER INFORMATION

Additional information **PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:**
The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:
It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a ChemAlert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations	ACGIH	American Conference of Governmental Industrial Hygienists
	CAS #	Chemical Abstract Service number - used to uniquely identify chemical compounds
	CNS	Central Nervous System
	DNEL	Derived No Effect Level
	EC No.	EC No - European Community Number
	GHS	Globally Harmonized System
	IARC	International Agency for Research on Cancer
	LD50	Lethal Dose, 50% / Median Lethal Dose
	mg/m ³	Milligrams per Cubic Metre
	OEL	Occupational Exposure Limit
	PBT	Persistent, bioaccumulative, toxic
	PEL	Permissible Exposure Limit
	pH	relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).
	PNEC	Predicted No Effect Concentration
	ppm	Parts Per Million
	REACH	Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals
	STEL	Short-Term Exposure Limit
	STOT-RE	Specific target organ toxicity (repeated exposure)
	STOT-SE	Specific target organ toxicity (single exposure)
	TLV	Threshold Limit Value
	TWA	Time Weighted Average
	vPvB	Very Persistent and Very Bioaccumulative

Revision history

Revision	Description
1.0	Initial SDS Creation

Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

PRODUCT NAME MONT MARTE DIMENSION ACRYLIC PAINTS (BURNT UMBER, RAW UMBER,
VANDYKE BROWN, NATURAL GREY, BLACK) (EU)

Prepared by Risk Management Technologies
5 Ventnor Ave, West Perth
Western Australia 6005
Phone: +61 8 9322 1711
Fax: +61 8 9322 1794
Email: info@rmt.com.au
Web: www.rmt.com.au.

Prepared in accordance with: Annex II of the REACH Regulation (EC) 1907/2006; (CLP) Regulation (EC) 1272/2008; and Regulation (EC) 453/2010 (Amendments to (EC) 1272/2008).

Revision: 1
SDS date: 19 August 2013

[End of SDS]